Doc Code: AP.PRE.REQ

Approved for use through xx/xx/200x. OMB 0651-00x

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

PRE-APPEAL BRIEF REQUEST FOR REVIEW		Docket Number (Optional)		
		135815		
I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail	Application N	Application Number Filed		
in an envelope addressed to "Mail Stop AF, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450" [37 CFR 1.8(a)]	09/858,099		May 15, 2001	
on	First Named Inventor			
Signature	Mazzurco, et al			
Art Unit			Examiner	
Typed or printed name	2661		Ian N. Moore	
Applicant requests review of the final rejection in the above-identified application. No amendments are being filed with this request.				
This request is being filed with a notice of appeal.				
The review is requested for the reason(s) stated on the attached sheet(s). Note: No more than five (5) pages may be provided.				
I am the				
applicant/inventor.	/Jessica W. Smith/			
assignee of record of the entire interest.	Signature Jessica W. Smith			
See 37 CFR 3.71. Statement under 37 CFR 3.73(b) is enclosed. (Form PTO/SB/96)	Typed or printed name			
attorney or agent of record. 39,884 Registration number	(97		(972) 477-9109	
registation number	Telephone number			
attorney or agent acting under 37 CFR 1.34.		July 6, 2006		
Registration number if acting under 37 CFR 1.34	_	Date		
NOTE: Signatures of all the inventors or assignees of record of the entire interest or their representative(s) are required. Submit multiple forms if more than one signature is required, see below.				
*Total of1 forms are submitted.				

This collection of information is required by 35 U.S.C. 132. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11, 1.14 and 41.6. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Mail Stop AF, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Privacy Act Statement

The **Privacy Act of 1974 (P.L. 93-579)** requires that you be given certain information in connection with your submission of the attached form related to a patent application or patent. Accordingly, pursuant to the requirements of the Act, please be advised that: (1) the general authority for the collection of this information is 35 U.S.C. 2(b)(2); (2) furnishing of the information solicited is voluntary; and (3) the principal purpose for which the information is used by the U.S. Patent and Trademark Office is to process and/or examine your submission related to a patent application or patent. If you do not furnish the requested information, the U.S. Patent and Trademark Office may not be able to process and/or examine your submission, which may result in termination of proceedings or abandonment of the application or expiration of the patent.

The information provided by you in this form will be subject to the following routine uses:

- The information on this form will be treated confidentially to the extent allowed under the Freedom of Information Act (5 U.S.C. 552) and the Privacy Act (5 U.S.C 552a). Records from this system of records may be disclosed to the Department of Justice to determine whether disclosure of these records is required by the Freedom of Information Act.
- A record from this system of records may be disclosed, as a routine use, in the course of
 presenting evidence to a court, magistrate, or administrative tribunal, including disclosures to
 opposing counsel in the course of settlement negotiations.
- A record in this system of records may be disclosed, as a routine use, to a Member of Congress submitting a request involving an individual, to whom the record pertains, when the individual has requested assistance from the Member with respect to the subject matter of the record.
- 4. A record in this system of records may be disclosed, as a routine use, to a contractor of the Agency having need for the information in order to perform a contract. Recipients of information shall be required to comply with the requirements of the Privacy Act of 1974, as amended, pursuant to 5 U.S.C. 552a(m).
- A record related to an International Application filed under the Patent Cooperation Treaty in this system of records may be disclosed, as a routine use, to the International Bureau of the World Intellectual Property Organization, pursuant to the Patent Cooperation Treaty.
- 6. A record in this system of records may be disclosed, as a routine use, to another federal agency for purposes of National Security review (35 U.S.C. 181) and for review pursuant to the Atomic Energy Act (42 U.S.C. 218(c)).
- 7. A record from this system of records may be disclosed, as a routine use, to the Administrator, General Services, or his/her designee, during an inspection of records conducted by GSA as part of that agency's responsibility to recommend improvements in records management practices and programs, under authority of 44 U.S.C. 2904 and 2906. Such disclosure shall be made in accordance with the GSA regulations governing inspection of records for this purpose, and any other relevant (i.e., GSA or Commerce) directive. Such disclosure shall not be used to make determinations about individuals.
- 8. A record from this system of records may be disclosed, as a routine use, to the public after either publication of the application pursuant to 35 U.S.C. 122(b) or issuance of a patent pursuant to 35 U.S.C. 151. Further, a record may be disclosed, subject to the limitations of 37 CFR 1.14, as a routine use, to the public if the record was filed in an application which became abandoned or in which the proceedings were terminated and which application is referenced by either a published application, an application open to public inspection or an issued patent.
- A record from this system of records may be disclosed, as a routine use, to a Federal, State, or local law enforcement agency, if the USPTO becomes aware of a violation or potential violation of law or regulation.

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s):

Mazzurco, et al.

Docket:

135815

Serial No.:

09/858,099

Art Unit:

2661

Filed:

May 15, 2001

Examiner:

Ian N. Moore

Title:

Common Protection Architecture for Optical Network

PRE-APPEAL BRIEF REQUEST FOR REVIEW

Commissioner for Patents P. O. Box 1450 Alexandria, VA 22313-1450

Dear Commissioner:

It is respectfully requested that a review be made of the final rejection prior to filing of the Appeal Brief. This request is being filed simultaneously with a Notice of Appeal. No amendments are filed with this request. Applicant believes that there are clear errors in the final rejection mailed March 8, 2006 (Final Office Action); and thus, the final rejection has omissions of one or more essential elements needed for a prima facie rejection for the reasons stated below.

The Office Action rejected claims 1, 2, 13, 14, 16 and 17 under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 5,870,212 to Nathan et al. (the Nathan reference) in view of U.S. Patent No. 6,414;765 to Li et al (the Li reference). However, the Nathan reference and the Li reference, either alone or in combination, fail to teach or suggest the requirements of the claims.

Independent Claim 1 and dependent claims 2 through 7

Claim 1 states, "a pair of network elements; two or more working spans coupled between said pair of network elements for carrying communications traffic between said pair of network elements, each working span carrying said communications traffic over a plurality of channels associated with one or more rings; a shared protection span coupled between said network elements, said shared protection span providing a plurality of channels; wherein said network elements include circuitry for concurrently switching communication traffic on rings associated with different working spans to respective channels of said shared protection span."

As seen in Figure 4 of the specification and explained in the specification at pages 7-8, paragraphs 27-29, each of the working spans 16ab support a plurality of n wavelengths or n distinct channels, and the shared protect span 18ab includes a plurality of shared protection

channels SP1 . . .SPn. Also shown in Figure 8, Figure 9 and described in the specification on pages 9 through 11, paragraphs 32 through 38, the shared protect span 18ab can be used to correct simultaneous failures on multiple ring networks. For example, in Figure 8, a failure of λ 12 on span 16de in a first ring will be switched to the protection spans by network element 12e in the first ring and carried over a first channel SP2 of the shared protection span 18ab. Another failure of λ 12 on span 16hi in a second ring will be switched by network element 12h to the protection spans in the second ring and carried over a second channel SP1 of the shared protection span 18ab. Thus, communication traffic on rings associated with different working spans are concurrently switched to respective channels of the shared protection span. The present invention has significant advantages over the prior art, as explained at page 3, paragraph 11. In the prior art, such as WO99/23773 to Elahmadi et al., a shared protection span can only be used to protect against a failure on one ring at a time. Traffic outage will occur if another failure occurs on another ring.

The Nathan reference and the Li reference, either alone or in combination, fail to teach or suggest the requirements of the claims. First, with respect to the Nathan reference, it does not disclose the requirement of claim 1, inter alia, of: "wherein said network elements include circuitry for concurrently switching communication traffic on rings associated with different working spans to respective channels of said shared protection span." The Nathan reference only describes that spare optical channel 860 in Figures 8, 9 and 10 can be used to protect against a failure on one ring at a time. As seen in Figures 8, 9 and 10, and stated at column 7, lines 12 and 13 (emphasis added), "Spare optical channel 860 can be optically coupled into network 802 or network 804 by OCCS 852 and 834." Thus, as stated at column 7, lines 13 through 19, the spare optical channel 860 can be used by network 802 if there is a break between nodes A and F, nodes E and F, or nodes D and E. Alternatively, network 804 may use the spare optical channel 860 if there is a break between nodes A and B, nodes B and C or nodes C and D. The spare optical channel 860 may not be used concurrently for switching communication on traffic on both network rings 802 and 804. And since there is no description of spare channel 860 supporting multiple wavelengths, such an interpretation is inoperable. Thus, the Nathan reference teaches away from the present invention and is in fact inoperable to meet the requirements of the claims.

Similarly, the Li reference does not disclose the requirement of claim 1, inter alia, of "wherein said network elements include circuitry for concurrently switching communication traffic on rings associated with different working spans to respective channels of said shared protection span." The Final Office Action states, last paragraph page 15 to first paragraph page 16, that, "Li teaches switching circuitry (See Fig. 4B, protection switch 10) for concurrently coupling channels to respective channels of said shared protection span (also see Fig. 4A; col. 6, line 60 to col. 7, line 16; note that protection switch supports the protection of each channel wavelength for concurrent switching)." However, the Li reference nowhere discloses concurrently switching channels to a shared protection span as claimed in the Office Action. The Li reference only discloses a single optical shared protection ring, as seen in Figure 2A and 3A and 4A, and described at column 4, lines 38 through 41. The single optical shared protection ring described in the Li reference has 2 fibers. As described at column 4, lines 44 through 49, Fiber 1 propagates working wavelengths and protection wavelengths in a counter clockwise direction. Fiber 2 propagates working wavelengths and protection wavelengths in a clockwise direction. So Fiber 1 working wavelengths can be switched to Fiber 2 protection wavelengths and Fiber 2 working wavelengths are switched to Fiber 1 protection wavelengths, as described at column 6, line 60 through column 7 line 3. There is no shared protection span or shared protection switch for concurrently switching working wavelengths to the same protection span. The only switching occurring in the Li reference is within a single ring from the working channels on one fiber in the ring to the protections channels in the other fiber of the ring. There is no sharing of channels on a single protection span among the working channels of different rings. Thus, the Li reference necessarily fails to disclose concurrently switching communication traffic on rings associated with different working spans to respective channels of said shared protection span, as stated in the claims.

Furthermore, the combination of the Nathan reference and the Li reference fails to suggest the requirement of claim 1, *inter alia*, of "wherein said network elements include circuitry for concurrently switching communication traffic on rings associated with different working spans to respective channels of said shared protection span." As explained above, the Nathan reference only describes that spare optical channel 860 in Figures 8, 9 and 10 can be used

to protect against a failure on one ring at a time, and the Li reference only describes concurrently switching within a single ring from the working channels on one fiber in the one ring to the protections channels in the other fiber of the one ring. Thus, the combination of the Li reference and the Nathan reference teaches or suggests switching only one working channel to one protection channel as described in both the Nathan and Li reference. So combining the switch described in the Li reference with the Nathan reference would at most teach or suggests adding another protection span next to 860 in the Nathan reference and concurrently switching from different working channels 858, 862 to different protection spans (860 and added protection span from Li).

Neither reference contemplates, describes or suggests a shared protection span for concurrently switching traffic from rings associated with different working spans, e.g. sharing one protection span among different working spans concurrently. "The court must be ever alert not to read obviousness into an invention on the basis of the applicant's own statements; that is, we must view the prior art without reading into that art appellant's teachings." Application of Nomiya, 184 U.S.P.Q. 607, 612 (Cust. & Pat.App. 1975). Only the present specification teaches network elements that include circuitry for concurrently switching communication traffic on rings associated with different working spans to respective channels of said shared protection span. For these reasons, the Nathan reference and the Li reference, either alone or in combination, fail to teach or suggest the requirements of the claims.

Independent Claim 8 and dependent claims 9 through 12

Claims 8 through 12 were rejected under 35 U.S.C. 103(a) as being unpatentable over the Nathan reference in view of the Li reference and further in view of Fee (U.S. Patent No. 6038044). With respect to the Nathan and Li references, they do not disclose the requirement of claim 8, *inter alia*, of "in the event of failures in channels associated with two or more rings associated with different working spans, concurrently transferring communication traffic associated with each of said two or more rings over said shared protection span," for the reasons stated above with respect to claim 1. With respect to the Fee reference, it teaches away from the present invention. It explicitly states that in the event of failures, at column 6, lines 55 and 57 that, "To recover from more than failure in ring 202, ring traffic will be switched onto spare

capacity within mesh network 102". It illustrates that each working port is routed to different

spare optical channels that are "spare capacity within mesh network 102," as stated at column 6,

lines 61 through 63. So the Fee reference teaches away from the present invention by teaching

switching working paths to different spare capacity paths. There is no concurrently transferring

communication traffic associated with two or more rings over a shared protection span as in

Claim 8.

Independent Claim 13 and dependent claims 14 through 18

The Office Action rejected claims 13, 14, 16 and 17 under 35 U.S.C. 103(a) as being

unpatentable over U.S. Patent No. 5,870,212 to Nathan et al. (the Nathan reference) in view of

U.S. Patent No. 6414765 to Li et al (the Li reference). With respect to the Nathan and Li

references, they do not disclose the requirement of claim 13, inter alia, of "an switching circuitry

for concurrently coupling channels from different incoming protection spans to a shared

protection span," for the reasons stated above with respect to claim 1.

CONCLUSION

For the above reasons, the foregoing amendment places the Application in condition for

allowance. Therefore, it is respectfully requested that the rejection of the claims be withdrawn

and full allowance granted. Should the Examiner have any further comments or suggestions,

please contact Jessica Smith at (972) 477-9109.

Respectfully submitted,

ALCATEL

/Jessica Smith/

Dated: July 6, 2006

Jessica W. Smith Reg. No. 39,884

Alcatel USA 3400 W. Plano Parkway, M/S LEGL2

Plano, TX 75075

Phone: (972) 477-9109

135815 - Page 5